Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2)



Efficiency data for the Drive

Series :GD390L-5R5G-2 Nominal voltage :3X 220 VAC


Nominal power :5.5kW Overload :Heavy Duty Nominal current: 27A


Nominal apparent power:10.29kVA

Nominal frequency:50Hz



Efficiency data for the Drive







Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2)



Efficiency data for the Drive

Series :GD390L-7R5G-2 Nominal voltage :3X 220 VAC


Nominal power :7.5kW Overload :Heavy Duty Nominal current :34A


Nominal apparent power:12.96kVA

Nominal frequency:50Hz



Efficiency data for the Drive







Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2)



Efficiency data for the Drive

Series :GD390L-011G-4 Nominal voltage :3X 380 VAC


Nominal power :11kW Overload :Heavy Duty Nominal current: 27A


Nominal apparent power:17.77kVA

Nominal frequency:50Hz



Efficiency data for the Drive







Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2)



Efficiency data for the Drive

Series :GD390L-015G-4 Nominal voltage :3X 380 VAC

Nominal power :15kW Overload :Heavy Duty Nominal current: 34A

Nominal apparent power: 22.38kVA

Nominal frequency:50Hz



Efficiency data for the Drive

